

# MA9070-2 – Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 1/11

# Safety data sheet according to Regulation (EC) No. 1907/2006

SECTION 1. Identification of the substance/mixture and of the company/undertaking.

1.1. Product identifier.

Code. MA9070-2 (After Mixing)

Product name. Zero Oxygen Solution, Component I+II (After mixing with MA9070-1)

1.2. Relevant identified uses of the substance or mixture and uses advised against.

Intended use. Calibration of Dissolved Oxygen Sensors.

1.3. Details of the supplier of the safety data sheet.

Name. Milwaukee Electronics Kft.

Full address: Alsókikötő sor 11.

District and Country: H6726, Szeged, Hungary

Phone: +36-62-428-050
Fax: +36-62-428-051

e-mail: info@milwaukeeinst.com

e-mail address of the competent person.

responsible for the Safety Data Sheet. info@milwaukeeinst.com

1.4. Emergency telephone number.

For urgent inquiries refer to. Austria tel.: +431 406 43 43 - Belgium tel.: 070/245.245 - Bulgaria tel.: +359 2 9154409 -

Czech Republic tel.: +420 224 919 293, +420 224 915 402 - Denmark tel.: 8212 12 12 - Estonia tel.: 112 - Finland tel.: (09) 471 977 (direct) or (09) 4711 (exchange) - France tel. ORFILA (INRS): + 33 (0)1 45 42 59 59 - Ireland tel.: 01 8092166 - Lithuania tel.: +370 5 236 20 52, +370 687 53378 - Malta tel: 2545 0000, Medicines & Poisons Info Office tel.: 2545 6504 - Norway tel.:22 59 13 00 - Portugal tel.: 808 250 143 - Romania tel. 021.318.36.06 (8:00 - 15:00) - Slovakia tel.: +421 2 5477 4166 - Spain tel.: + 34 91 562 04

20 - Sweden tel.: 112; 08-331231 (9:00-17:00)

# **SECTION 2. Hazards identification.**

# 2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.



# MA9070-2 - Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 2/11

#### 2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.
EUH031 Contact with acids liberates toxic gas.

Precautionary statements:

P264 Wash hands and skin thoroughly after handling.

**P280** Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rınsıng.

P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients.**

# 3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Identification. x = Conc. %.

Classification 1272/2008

(CLP).

**SODIUM METABISULFITE** 

CAS. 7681-57-4 1 ≤ x < 3 Acute Tox. 4 H302, Eye Dam. 1

H318, EUH031

EC. 231-673-0 INDEX. 016-063-00-2 Reg. no. 01-2119531326-45

# **SECTION 4. First aid measures.**

4.1. Description of first aid measures.



# MA9070-2 – Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 3/11

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

# 4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

# SODIUM METABISULFITE

Irritation and corrosion. Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

# **SECTION 5. Firefighting measures.**

# 5.1. Extinguishing media.

# SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

# 5.2. Special hazards arising from the substance or mixture.

# HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

# SODIUM METABISULFITE

Not combustible. Ambient fire may liberate hazardous vapours. Fire may cause evolution of: Sulphur oxides.

# 5.3. Advice for firefighters.

# GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

# SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures.**

# 6.1. Personal precautions, protective equipment and emergency procedures.

# Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



# MA9070-2 - Zero Oxygen Solution, Component I+II

Revision nr. 4 Dated 20/02/2017 Printed on 20/02/2017

Page n. 4/11

# 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

# 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

# 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

# 7.3. Specific end use(s).

Information not available.

# SECTION 8. Exposure controls/personal protection.

# 8.1. Control parameters.

Regulatory References:

BEL DNK ESP	Belgique Danmark España	AR du 11/3/2002. La liste est mise à jour pour 2010 Graensevaerdier per stoffer og materialer INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
HRV	Hrvatska	NN13/09 - Ministarstvo gospodarstva, rada i poduzetništva
IRL	Éire	Code of Practice Chemical Agent Regulations 2011
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
NOR	Norge TLV-ACGIH	Veiledning om Administrative normer for forurensning i arbeidsatmosfære ACGIH 2016

# **SODIUM METABISULFITE**

Threshold Limit Value.			
Туре	Country	TWA/8h	STEL/15min



# MA9070-2 – Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 5/11

		mg/m3	ppm	mg/m3	ppm			
VLEP	BEL	5						
TLV	DNK	5						
VLA	ESP	5						
VLEP	FRA	5						
WEL	GBR	5						
TLV	GRC	5						
GVI	HRV	5						
OEL	IRL	5						
OEL	NLD	5						
TLV	NOR	5						
TLV-ACGIH		5						
Predicted no-effect concentration	n - PNEC.							
Normal value in fresh water Normal value in marine water Normal value of STP microorgar				1 0,1 75,4		mg/l mg/l mg/l		
Health - Derived no-effect		OMEL			=" .			
	Effects on consumers.				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral.			VND	8,6 mg/kg bw/d				
Inhalation.			VND	66 mg/m3			VND	225 mg/m3

# Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

# 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

If the product may or must come into contact or react with acids, suitable technical and/or organisational measures should be taken to prevent the development of toxic and/or inflammable gases.

# HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

# SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

# EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

# RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter



# MA9070-2 - Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 6/11

whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

# ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties.**

liquid

colourless

# 9.1. Information on basic physical and chemical properties.

Odour odourless Odour threshold. Not available. 4.5 Melting point / freezing point. Not available. Initial boiling point. Not available. Boiling range. Not available. > 60 °C. Flash point. Evaporation rate Not available. Flammability (solid, gas) Not available. Lower inflammability limit. Not available. Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 1,00

Relative density.

Solubility

Partition coefficient: n-octanol/water

Auto-ignition temperature.

Decomposition temperature.

Viscosity

Explosive properties

Oxidising properties

1,00

soluble in water

Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

# 9.2. Other information.

Appearance

Colour

Total solids (250°C / 482°F) 2,40 % VOC (Directive 2010/75/EC) : 0 VOC (volatile carbon) : 0

# SECTION 10. Stability and reactivity.

# 10.1. Reactivity.

Information not available.

# 10.2. Chemical stability.

Information not available.



# MA9070-2 - Zero Oxygen Solution, Component I+II

Revision nr. 4 Dated 20/02/2017 Printed on 20/02/2017

Page n. 7/11

# 10.3. Possibility of hazardous reactions.

Contact with string acids causes the development of toxic gases.

# SODIUM METABISULFITE

Generates dangerous gases or fumes in contact with: acids. Exothermic reaction with: Oxidizing agents, nitrites, nitrates, Sulphides.

#### 10.4. Conditions to avoid.

Information not available.

#### 10.5. Incompatible materials.

Information not available.

# 10.6. Hazardous decomposition products.

Information not available.

# **SECTION 11. Toxicological information.**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

# 11.1. Information on toxicological effects.

SODIUM METABISULFITEEye irritation, Rabbit, Result: Eye irritation, Causes serious eye damage.

# ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture:>2000 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component).

# SODIUM METABISULFITE

LD50 (Oral).1540 mg/kg Rat

LD50 (Dermal).> 2000 mg/kg Rat

# SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Causes serious eye irritation.

RESPIRATORY ÓR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class.

REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class.

STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.



# MA9070-2 – Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 8/11

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

# **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

# 12.1. Toxicity.

SODIUM METABISULFITE

EC50 - for Crustacea. 89 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic 48 mg/l/72h Desmodesmus subspicatus

Plants.

# 12.2. Persistence and degradability.

SODIUM METABISULFITE

Solubility in water. > 10000 mg/l

Biodegradability: Information not available.

# 12.3. Bioaccumulative potential.

SODIUM METABISULFITE

Partition coefficient: n- -3,7 Log Kow

octanol/water.

# 12.4. Mobility in soil.

Information not available.

# 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# 12.6. Other adverse effects.

Information not available.

# **SECTION 13. Disposal considerations.**

# 13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information.**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.



# Milwaukee Milwaukee Electronics Kft.

Revision nr. 4 Dated 20/02/2017 Printed on 20/02/2017 Page n. 9/11

	MA9070-2 – Zero Oxygen Solution, Component I+II
14.1. UN number.	
Not applicable.	
14.2. UN proper shipping name.	
Not applicable.	
14.3. Transport hazard class(es).	
Not applicable.	
14.4. Packing group.	
Not applicable.	
14.5. Environmental hazards.	
Not applicable.	
14.6. Special precautions for user.	
Not applicable.	
14.7. Transport in bulk according to	Annex II of Marpol and the IBC Code.
Information not relevant.	
SECTION 15. Regulatory	information.
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture.
Seveso Category - Directive 2012/18/6	EC:
Restrictions relating to the product or of	contained substances pursuant to Annex XVII to EC Regulation 1907/2006.
Product. Point.	3
Substances in Candidate List (Art. 59	REACH).
On the basis of available data, the pro	duct does not contain any SVHC in percentage greater than 0,1%.
Substances subject to authorisarion (A	Annex XIV REACH).
None.	
Substances subject to exportation repo	orting pursuant to (EC) Reg. 649/2012:
None.	
Substances subject to the Rotterdam (	Convention:



# MA9070-2 – Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Printed on 20/02/2017

Page n. 10/11

None.

Substances subject to the Stockholm Convention:

None.

#### Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

WGK 0: Not hazardous to waters

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information.**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
H302 Harmful if swallowed.

H318 Causes serious eye damage.H319 Causes serious eye irritation.

EUH031 Contact with acids liberates toxic gas.

# LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation



# MA9070-2 - Zero Oxygen Solution, Component I+II

Revision nr. 4

Dated 20/02/2017

Page n. 11/11

Printed on 20/02/2017

- WGK: Water hazard classes (German).

# **GENERAL BIBLIOGRAPHY**

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

# Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.